

### **GRADIENT DIVISION**

### WHOLE BODY CLINICAL GRADIENT COILS

## Ultra-low eddy current signature, exceptional duty cycle and force balanced with main magnet

With around 40 years of experience in MRI, and over 20,000 gradient coils shipped, Tesla Engineering Ltd. is fully committed to design, supply and field support for whole body and pre-clinical gradient coils for new and existing systems, for commercial and research applications.





We have a whole range of state-of-the-art designs of gradient coils for clinical imaging from value systems through to ultra wide bore and ultra high field MRI. We have products for virtually all magnet and amplifier combinations. New designs are quickly available on request.

Some examples of clinical gradient coils are shown below:-

Gradient Description	Unit	MFC18	MFC21	MFC36	HFC48
Internal diameter	mm	652	681	670	670
External diameter	mm	932	890	842	840
Suitable for magnet bore diameter	mm	> 940	> 900	> 850	> 850
Suitable for magnet field strength	TI	≤3	≤ 1.5	≤3	≤ 1.5
Diameter of spherical imaging volume	mm	450	500	600	500
Gradient linearity (peak-to-peak)	%	< 7	≤9	< 13	< 12
Gradient sensitivity (each axis)	μT/m/A	> 68	> 52	> 58	> 56
Peak current I <sub>max</sub>	Α	630	630	700	630
Peak voltage V <sub>max</sub>	V	2000	900	1400	900
Peak gradient strength @ I <sub>max</sub> per axis	mT/m	43	32	41	35
Peak linear Slew Rate (0-98%) @ V <sub>max</sub>	T/m/s	> 225	> 144	> 204	> 151
Max DC current (3 axes simultaneously)	Α	210	215	205	195
Steady state heat extraction	kW	16	8.3	13	9.1
Total number of shim channels	Number	6	0	6	0
Integrated Passive Shim Trays	Number	24	24	24	24
Integrated RF Screen		Optional	Optional	Optional	Optional



Tesla Engineering Ltd., U.K. sales@teslagradients.com or service@teslagradients.com T +44 1903 743941 F +44 1903 745548



#### **GRADIENT DIVISION**

## WHOLE BODY CLINICAL GRADIENT COILS

# Ultra-low eddy current signature, exceptional duty cycle and force balanced with main magnet

With around 40 years of experience in MRI, and over 20,000 gradient coils shipped, Tesla Engineering Ltd. is fully committed to design, supply and field support for whole body and pre-clinical gradient coils for new and existing systems, for commercial and research applications.





We have a whole range of state-of-the-art designs of gradient coils for clinical imaging from value systems through to ultra wide bore and ultra high field MRI. We have products for virtually all magnet and amplifier combinations. New designs are quickly available on request.

Some examples of clinical gradient coils are shown below :-

<b>Gradient Description</b>	Unit	LFC6	MFC57	HFC23	HFC25	HFC34	HFC47
Internal diameter	mm	879	900	750	740	770	780
External diameter	mm	1000	1080	924	890	924	924
Suitable for magnet bore diameter	mm	> 1010	> 1090	> 930	>900	> 930	> 930
Suitable for magnet field strength	T	≤3	≤3	≤3	≤3	≤3	≤3
Diameter of spherical imaging volume	mm	350 x 250	400	500	500	500	500
Gradient linearity (peak-to-peak)	%	< 13	< 16	< 32	< 27	< 39	< 28
Gradient sensitivity (each axis)	μT/m/A	> 24	> 33	> 64	> 45	> 46	> 51
Peak current I <sub>max</sub>	Α	900	1200	900	1000	900	900
Peak voltage V <sub>max</sub>	V	1500	2000	1400	1850	1400	1980
Peak gradient strength @ I <sub>max</sub> per axis	mT/m	22	40	58	46	46	46
Peak linear Slew Rate (0-98%) @ V <sub>max</sub>	T/m/s	> 150	> 140	> 200	> 240	> 200	> 245
Max DC current (3 axes simultaneously)	Α	155	153	225	185	210	178
Steady state heat extraction	kW	8.8	7.4	15	13	14.3	14
Total number of shim channels	Number	5	5	5	5	6	6.
Integrated Passive Shim Trays	Number	72	72	36	24	24	36
Integrated RF Screen		Optional	Optional	Optional	Optional	Optional	Optional



#### **Gradient Coil Division**

Tesla Engineering Ltd., U.K. sales@teslagradients.com or service@teslagradients.com T +44 1903 743941 F +44 1903 745548